# SAFETY DATA SHEET ERATICATE BRODIFACOUM BLOCK BAIT

According to Regulation (EC) No 1907/2006, Annex II, as amended. Commission Regulation (EU) No 2015/830 of 28 May 2015.

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name ERATICATE BRODIFACOUM BLOCK BAIT

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Ready for use Rodenticide containing 50ppm Brodifacoum.

**Uses advised against**No specific uses advised against are identified.

## 1.3. Details of the supplier of the safety data sheet

Supplier Rat Pak Ltd

Moor Lane

Thorpe on the Hill

Lincoln LN69BW 01522 686070

Howard@ratpak.co.uk

#### 1.4. Emergency telephone number

Emergency telephone 01522 686070

#### SECTION 2: Hazards identification

## 2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Not Classified

Health hazards Repr. 1A - H360D STOT RE 2 - H373

Environmental hazards Not Classified

## 2.2. Label elements

## **Pictogram**



Signal word Danger

**Hazard statements** H360D May damage the unborn child.

H373 May cause damage to organs (Blood) through prolonged or repeated exposure.

**Precautionary statements** P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves.

P308+P313 IF exposed or concerned: Get medical advice/ attention.

P314 Get medical advice/ attention if you feel unwell.

P405 Store locked up.

P501 Dispose of contents/ container in accordance with national regulations.

Supplemental label

information

EUH 208 Contains 1, 2- Benzisothiazolin-3-one. May produce an allergic reaction.

#### 2.3. Other hazards

# **ERATICATE BRODIFACOUM BLOCK BAIT**

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Ethyl vanillin <0.1

CAS number: 121-32-4 EC number: 204-464-7

Classification

Eye Irrit. 2 - H319

2,2'-Imino Diethanol <0.1%

CAS number: 111-42-2 EC number: 203-868-0

Classification

Acute Tox. 4 - H302

Skin Irrit. 2 - H315

Eye Dam. 1 - H318

STOT RE 2 - H373

Aquatic Chronic 3 - H412

## 1,2-BENZISOTHIAZOLIN-3-ONE

0.02%

CAS number: 2634-33-5 EC number: 220-120-9

Classification

Skin Irrit. 2 - H315

Eye Dam. 1 - H318

Skin Sens. 1 - H317

Aquatic Chronic 2 - H411

BRODIFACOUM (EU) 0.005%

CAS number: 56073-10-0 EC number: 259-980-5

M factor (Acute) = 10 M factor (Chronic) = 10

Classification

Acute Tox. 1 - H300

Acute Tox. 1 - H310

Acute Tox. 1 - H330

Repr. 1A - H360D

STOT RE 1 - H372

Aquatic Acute 1 - H400

Aquatic Chronic 1 - H410

Denatonium Benzoate 0.001%

CAS number: 3734-33-6 EC number: 223-095-2

Classification

Acute Tox. 4 - H332

Skin Irrit. 2 - H315

Eye Dam. 1 - H318

Aquatic Chronic 3 - H412

#### **ERATICATE BRODIFACOUM BLOCK BAIT**

The full text for all hazard statements is displayed in Section 16.

#### SECTION 4: First aid measures

## 4.1. Description of first aid measures

General information In case of accident or if you feel unwell, seek medical advice immediately (show the label

where possible). Advice for Medical Doctors: Brodifacoum is an indirect anti-coagulant. Phytomenadione, Vitamin K, is antidotal. Determin prothrombin time not less than 18 hours after consumption. If elevated, administer Vitamin K1 until prothrombin time normalises. Continue determination of prothrombin time for two weeks after withdrawal of antidote and

resume treatment if elevation occurs in that time.

**Inhalation** Due to the physical nature of this product, exposure by this route is unlikely. Seek medical

attention if symptoms persist.

**Ingestion** Rinse mouth. Do not induce vomiting. Get medical attention immediately.

**Skin contact** May cause irritation to susceptible persons. If skin irritation occurs wash with soap and water.

Remove contaminated clothing. Get medical attention if symptoms are severe or persist.

Eye contact May cause eye irritation to susceptible persons. Rinse immediately with plenty of water and

seek medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

## 4.3. Indication of any immediate medical attention and special treatment needed

## SECTION 5: Firefighting measures

## 5.1. Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-

extinguishing media suitable for the surrounding fire.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

# 5.2. Special hazards arising from the substance or mixture

Specific hazards None known.

Hazardous combustion

products

Thermal decomposition or combustion products may include the following substances:

Harmful gases or vapours.

## 5.3. Advice for firefighters

Protective actions during

firefighting

Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers

exposed to flames with water until well after the fire is out.

Special protective equipment

for firefighters

Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.

## SECTION 6: Accidental release measures

## 6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions No specific recommendations. For personal protection, see Section 8.

## 6.2. Environmental precautions

**Environmental precautions** Avoid discharge to the aquatic environment.

#### 6.3. Methods and material for containment and cleaning up

#### **ERATICATE BRODIFACOUM BLOCK BAIT**

#### Methods for cleaning up

Reuse or recycle products wherever possible. Collect spillage with a shovel and broom, or similar and reuse, if possible. Collect and place in suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.

#### 6.4. Reference to other sections

**Reference to other sections** For personal protection, see Section 8. For waste disposal, see Section 13.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Usage precautions Avoid contact with skin and eyes. Keep away from heat, hot surfaces, sparks, open flames

and other ignition sources. No smoking. Good personal hygiene is necessary. Wash hands and contaminated areas with water and soap before leaving the work site. Read label before

use.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in a cool, dry location. Store only in the original receptacle. Keep containers tightly

closed in a well-ventilated place. Take suitable precautions when opening sealed containers,

as pressure can build up during storage.

Keep away from sources of heat. Keep out of the reach of children. Store away from

foodstuffs. Keep away from oxidizing agents.

Storage class Miscellaneous hazardous material storage.

7.3. Specific end use(s)

**Usage description** Ready to use rodenticide containing 50 ppm Brodifacoum.

## SECTION 8: Exposure controls/Personal protection

## 8.1. Control parameters

#### Occupational exposure limits

Propane-1,2-diol (Propane-1,2-diol Particulates) WEL 8-Hr limit mg/M3: 10

Propane-1,2-diol (Propane-1,2-diol total vapour and particulates) WEL 8-Hr limit ppm: 150

WEL 8Hr limit mg/M3: 474

Sugar (Sucrose) WEL 8-Hr limit mg/M3: 10 WEL 15 min limit mg/M3: 20

Paraffin Wax WEL 8-Hr limit mg/M3: 2 WEL 15 min limit mg/M3: 6

Paraffin Wax (Paraffin wax fume) WEL 8-Hr limit mg/M3: 2 WEL 15 min limit mg/M3: 6

## 8.2. Exposure controls

Protective equipment

Appropriate engineering

controls

No specific ventilation requirements.

Personal protection Body protection must be chosen depending on activity and possible exposure, for example

apron, protecting boots, chemical-protection suit.

**Eye/face protection** No specific eye protection required during normal use.

**Hand protection** Suitable chemical resistant gloves are recommended for professional users.

## **ERATICATE BRODIFACOUM BLOCK BAIT**

Other skin and body

protection

Handle in accordance with good hygiene and safety practice. Wearing of closed work clothing

is recommended. Avoid contact with the skin, eyes and clothing. Store work clothing

separately.

Hygiene measures Wash hands thoroughly after handling. Wash at the end of each work shift and before eating,

smoking and using the toilet. Do not eat, drink or smoke when using this product.

**Respiratory protection** No specific recommendations. Provide adequate ventilation.

**Environmental exposure** 

controls

Not regarded as dangerous for the environment.

#### SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Appearance Wax Block.

Colour Red or Blue

Odour Slight.

Odour threshold No information available.

PH No information available.

**Melting point** approx. 60 Deg C (for the wax).

**Initial boiling point and range** No information available.

Flash point No information available.

**Evaporation rate** Not relevant.

**Evaporation factor** No information available.

Flammability (solid, gas) combustible

Upper/lower flammability or

explosive limits

No information available.

Other flammability No information available.

Vapour pressure Not relevant.

Vapour density Not relevant.

Relative density

No information available.

Bulk density

No information available.

Solubility(ies)

Immiscible with water.

Partition coefficient Not relevant.

Auto-ignition temperature No information available.

Decomposition Temperature No information available.

Viscosity No information available.

**Explosive properties** Not considered to be explosive.

Oxidising properties Not oxidising.

9.2. Other information

## SECTION 10: Stability and reactivity

#### **ERATICATE BRODIFACOUM BLOCK BAIT**

10.1. Reactivity

**Reactivity** There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability Stable at normal ambient temperatures and when used as recommended. Stable under the

prescribed storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Keep away from: Oxidising agents.

10.4. Conditions to avoid

Conditions to avoid Heat, sparks, flames.

10.5. Incompatible materials

Materials to avoid No specific material or group of materials is likely to react with the product to produce a

hazardous situation.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours.

#### SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity - oral

Notes (oral LD<sub>50</sub>) >2000 mg/kg

Acute toxicity - dermal

Notes (dermal LD<sub>50</sub>) >2000 mg/kg

Acute toxicity - inhalation

Notes (inhalation LC<sub>50</sub>) >5 mg/l (Dust)

Skin corrosion/irritation

Skin corrosion/irritation Not irritating.

Animal data Based on available data the classification criteria are not met.

Serious eye damage/irritation

Serious eye damage/irritation Based on available data the classification criteria are not met.

Respiratory sensitisation

**Respiratory sensitisation** Based on available data the classification criteria are not met.

Skin sensitisation

**Skin sensitisation** Based on available data the classification criteria are not met.

Germ cell mutagenicity

**Genotoxicity - in vitro**Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

#### **ERATICATE BRODIFACOUM BLOCK BAIT**

Reproductive toxicity -

development

May damage the unborn child.

Specific target organ toxicity - single exposure

**STOT - single exposure**Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure STOT RE 2 - H373 May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

**Aspiration hazard** Not relevant. Solid.

General information Avoid contact during pregnancy/while nursing. May damage fertility. The severity of the

symptoms described will vary dependent on the concentration and the length of exposure.

**Inhalation** No specific symptoms known.

**Ingestion** See section 4 - First Aid

**Skin contact** Prolonged contact may cause dryness of the skin.

**Eye contact** No specific symptoms known.

Route of exposure Ingestion Inhalation Skin and/or eye contact

**Toxicity of ingredients** Denatonium Benzoate:

LD50 Oral (Rat) = 584 mg/kg

LC50 (Rat) 4h: >8.7 mg/l Brodifacoum Acute Oral ≤5mg/kg Acute Dermal ≤50mg/kg

Acute Inhalation ≤0.05mg/kg (Commission Regulation 2016/1179)

## SECTION 12: Ecological information

**Ecotoxicity** Not regarded as dangerous for the environment.

12.1. Toxicity

**Toxicity** Based on available data the classification criteria are not met.

## 12.2. Persistence and degradability

Persistence and degradability The degradability of the product is not known.

#### 12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Partition coefficient Not relevant.

12.4. Mobility in soil

**Mobility** No data available.

# 12.5. Results of PBT and vPvB assessment

#### 12.6. Other adverse effects

Other adverse effects Toxic to mammals, including domesticated animals and birds if ingested. Exposure of non-

target animals should be prevented.

**Toxicity of ingredients** Brodifacoum Daphnia EC50/48Hr = 0.25 mg/l Rainbow trout LC50/96Hr = 0.042 mg/l

# SECTION 13: Disposal considerations

# 13.1. Waste treatment methods

General information This material and its container must be disposed of in a safe way.

#### **ERATICATE BRODIFACOUM BLOCK BAIT**

**Disposal methods**Dispose of in accordance with applicable regional, national, and local laws and regulations.

Dispose of Contaminated packaging as unused product unless fully cleaned.

Waste class Waste disposal key number from EWC is 20 01 19 (Pesticides)

## SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods

(IMDG, IATA, ADR/RID).

## 14.1. UN number

Not applicable.

## 14.2. UN proper shipping name

Not applicable.

# 14.3. Transport hazard class(es)

No transport warning sign required.

## 14.4. Packing group

Not applicable.

## 14.5. Environmental hazards

#### Environmentally hazardous substance/marine pollutant

No.

#### 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78

and the IBC Code

## SECTION 15: Regulatory information

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment

Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].

EH40/2005 Workplace exposure limits.

**EU legislation** Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18

December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

Commission Regulation (EU) No 2015/830 of 28 May 2015.

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as

amended).

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## Inventories

## **EU - EINECS/ELINCS**

None of the ingredients are listed or exempt.

#### **ERATICATE BRODIFACOUM BLOCK BAIT**

#### SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by

Road.

ADN: European Agreement concerning the International Carriage of Dangerous Goods by

Inland Waterways.

RID: European Agreement concerning the International Carriage of Dangerous Goods by

Rail.

IATA: International Air Transport Association.

ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.

IMDG: International Maritime Dangerous Goods.

CAS: Chemical Abstracts Service.

ATE: Acute Toxicity Estimate.

LC₅₀: Lethal Concentration to 50 % of a test population.

LD₅o: Lethal Dose to 50% of a test population (Median Lethal Dose).

EC<sub>50</sub>: 50% of maximal Effective Concentration.

PBT: Persistent, Bioaccumulative and Toxic substance.

vPvB: Very Persistent and Very Bioaccumulative.

Classification abbreviations

and acronyms

Repr. = Reproductive toxicity

STOT RE = Specific target organ toxicity-repeated exposure

Classification procedures according to Regulation (EC)

1272/2008

STOT RE 2 - H373: Commission Regulation (EU) 2016/1179 Repr. 1A - H360D: Commission

Regulation (EU) 2016/1179

Revision date 14/05/2018

Revision 5

Supersedes date 28/11/2017

SDS number 21725

Hazard statements in full H300 Fatal if swallowed.

H302 Harmful if swallowed. H310 Fatal in contact with skin. H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H330 Fatal if inhaled. H332 Harmful if inhaled.

H360D May damage the unborn child.

H372 Causes damage to organs (Blood) through prolonged or repeated exposure.

H373 May cause damage to organs through prolonged or repeated exposure.

H373 May cause damage to organs (Blood) through prolonged or repeated exposure.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.